



DV125 Dual View Dumper

Seizing new dimensions

The first 12.5-ton dumper is impacting the market with the reliable Dual View swivel seat concept and the high level of standard safety equipment. With the high payload capacity of 12.5 tons, the DV125 has the ability to transport more material like a truck, but maintains the advantages of a dumper. The articulated pendulum joint and hydrostatic all-wheel drive ensures it retains its tractive force while traveling across rough terrain. All these benefits are supported by the machine's built-in high safety standards, providing for an excellent operating experience.

Highlights


- High payload for maximum material handling
- Dual View rotating seat concept
- High safety standards
- Compact dimensions and maximum maneuverability
- Sturdy heavy-load axle

Technical Data

Hydraulic		Engine type	Diesel engine
Operating pressure hydraulics	241.0 bar	Cylinder	4.0
Hydraulicpump	ZRP	Cylinder capacity	3,621.0 cm3
Flow rate	73.0 l/min	Fuel	Diesel EN 590
Tank capacity	55.0	Effective power	100.0 KW
Mechanical - Output Details		Nominal Engine speed	1,600.0 1/min
Travel speed	25.0 km/h	Exhaust-gas limit	EPA Tier 4 final, EU Stage V
Mechanical Details		Starter battery Voltage	12.0 V
Length	5,342.0 mm	Engine Manufacturer	Deutz
Width	2,540.0 mm	Engine Designation	TCD3.6 L4
Height	3,063.0 mm	Environment Data	
Payload	12,500.0 kg	Sound power LWA, guaranteed	101.0 dB(A)
Skip	Front tip skip	Chassis	
Skip capacity levelled	5,900.0 l	Turning radius	7,188.0 mm
Skip capacity heaped	7,000.0 l	Articulation angle	28.0 °
Skip capacity waterlevel	3,700.0 l	Flow rate	180.0 l/min
Pendulum angle	11.0 °	Tires	600/50-22.5 Alli. Flotation331
Operating weight (minmax.)	6,335.0 - 6,585.0 kg	Shipping and Storage	
Engine		Shipping weight	6,376.0 kg
Cooling	Water-cooling		

The illustrations, equipment and data shown may deviate from the current delivery program of your country. Optional equipment subject to additional charge may be shown. Subject to changes.

Dimensions



А	Height with cab	3,063 mm
	Height of cab with rotating beacon	3,227 mm
B1	31 Width of skip	
B2	Width of vehicle	2,540 mm
B3	Width of cab	1,629 mm
С	Total length	5,342 mm
D	Wheel base	2,900 mm
Е	Rear overhang	1,252 mm
F	Dumping width	628 mm
G	Dumping height max.	615 mm
H1	Skip height	2,384 mm
H2	Skip height tilted	3,659 mm
I	Ground clearance	388 mm
J	Dumping angle	48 °

The illustrations, equipment and data shown may deviate from the current delivery program of your country. Optional equipment subject to additional charge may be shown. Subject to changes.