





DT08

Track Dumper

The rental center professional

With its 800 kg payload and only 79 cm machine width, the DT08 is the perfect fit for rental fleets. The low-maintenance and intuitive-to-operate hydrostatic drive system allows simple operation, even for inexperienced operators. At the same time, it is gentle on the subbase due to its wide tracks and the perfectly balanced center of gravity with low ground pressure. The sturdy travel gear design ensures durability and low wear.

Highlights

- Hydrostatic drive
- Small dimensions
- Diesel or gasoline engine

Technical Data

ZRP				
41.0 l/min				
Mechanical - Output Details				
4.0 km/h				
Mechanical Details				
1,660.0 mm				
790.0 mm				
1,275.0 mm				
460.00 kg				
800.0 kg				
Front tip skip				
334.0				
387.0				
595.0 - 710.0 kg				
air cooling				
11.79				

Engine type	Gasoline engine			
Cylinder	1.0			
Cylinder capacity	270.0 cm3			
Inclined position max.	20.0 °			
Effective power	6.6 KW			
Nominal Engine speed	3,600.0 1/min			
Engine Manufacturer	Honda			
Engine Designation	GX270			
Environment Data				
Sound level LpA	87.0 dB(A)			
Sound level LpA (Standard)	ISO 6396			
Sound power LWA, guaranteed	101.0 dB(A)			
Sound power LWA (Standard)	ISO 6395			
Shipping and Storage				
Shipping weight	520.0 kg			


The illustrations, equipment and data shown may deviate from the current delivery program of your country. Optional equipment subject to additional charge may be shown. Subject to changes.

Available engines

6,8 kW Diesel engine with electric starter

Engine type	Diesel engine
Cylinder	1
Cylinder capacity	435 cm3
Effective power	6.8 KW
Engine Manufacturer	Yanmar
Engine Designation	L100AE
Stroke	75 mlai
Bore	86 mlai

Dimensions



A1	Height above operator's stand	1,243 mm
A2	Height over skip hand guard	1,304 mm
А3	Height front edge of skip	750 mm
B1	Width of skip	830 mm
B2	Width of vehicle	800 mm
	Width with self-loading equipment	830 mm
C1	Total length without footboard	1,789 mm
C2	Length footboard	398 mm
C3	Length with self-loading equipment, without footboard	2,264 mm
D	Dumping height max.	410 mm
Е	Skip height tilted	1,840 mm
l1	Ground clearance	110 mm
G	Dumping angle	72 °
Н	Rollback angle footboard	12 °
T	Length chain stand	769 mm