



EZ17

Tracked Zero Tail excavator

Compact, powerful, and maneuverable

The EZ17 compact excavator is the most powerful zero tail excavator in its class. The large-volume diesel engine, LUDV (Load Sensing System) and an innovative cooling system provide the highest levels of performance and efficiency. The compact and durable design guarantees a long service life.

Highlights

- 100 % Zero Tail
- Powerful drive system with LUDV
- Swivel bracket
- Canopy can be easily disassembled
- Compact dimensions

Technical Data

■ Hydraulic

Operating pressure hydraulics	240.0 bar
Flow rate	39.0 l/min
Tank capacity	21.0 l

Starter battery Voltage

12.0 V

Battery capacity (nom. value)

44.0 Ah

Engine Manufacturer

Yanmar

Engine Designation

3TNV80F-SSWN1

■ Mechanical - Output Details

Travel speed stage 1	2.6 km/h
Travel speed stage 2	4.8 km/h

Sound level LpA

79.0 dB(A)

■ Mechanical Details

Length	3,585.0 mm
Width	990.0 mm
Height	2,360.0 mm
Operating weight (min.-max.)	1,784.0 - 1,950.0 kg
Digging depth (max.)	2,330.0 mm

Sound power LWA, measured

93.0 dB(A)

Sound power LWA, guaranteed

93.0 dB(A)

■ Engine

Cooling	Water-cooling
Engine type	Diesel engine
Cylinder	3.0
Cylinder capacity	1,266.0 cm ³
Tank capacity	22.0 l
Effective power	13.4 KW
Nominal Engine speed	2,200.0 1/min

■ Environment Data

Oil volume

2.800 l

Cooling fluid volume

4.8 l

Hydraulic fluid volume

21.0 l

■ Chassis

Traction drive

axial piston motor

Operating pressure

240.0 bar

■ Shipping and Storage

Length for shipping

3,585.0 mm

Width for shipping

990.0 mm

Height for shipping

2,360.0 mm

Shipping weight

1,649.0 kg

Available engines

Yanmar 3TNV80F-SSWN1

Cooling	Water-cooling
Engine type	Diesel engine
Cylinder	3
Cylinder capacity	1,266 cm ³
Fuel	Diesel EN 590
Effective power	13.4 KW
Nominal Engine speed	2,200 1/min
Maximum torque	65.6 Nm
Engine speed (max. torque)	1,600 1/min
Engine Manufacturer	Yanmar
Engine Designation	3TNV80F-SSWN1
Stroke	84 mlai
Bore	80 mlai

Dimensions

